

BTTR 4 GLASS

n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

easy clean ws

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Coating agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company n-tec GmbH

Siemensstraße 13

84051 Essenbach - Altheim / GERMANY Phone +49 - (0)87 03 - 98 97-64 Fax +49 - (0)87 03 - 98 97-65 Homepage www.n-tec.de E-mail info@n-tec.de

Address enquiries to

Technical information info@n-tec.de

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



n-tec GmbH 84051 Essenbach - Altheim



Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 2 / 10

3.2 Mixtures

The product is a mixture.

| Range [%] | Substance |
|-----------|--|
| 1 - <3 | Propan-2-ol |
| | CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX |
| | GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319 - STOT SE 3: H336 |

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.



n-tec GmbH 84051 Essenbach - Altheim



Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 3 / 10

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Provide suitable vacuuming at the processing machines.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities


Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed. Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2



n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04 Page 4 / 10

SECTION 8: Exposure controls / personal protection

Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Propan-2-ol

CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX

Long-term exposure: 400 ppm, 999 mg/m³

Short-term exposure (15-minute): 500 ppm, 1250 mg/m³

DNEL

Substance

Propan-2-ol, CAS: 67-63-0

Industrial, inhalative, Long-term - systemic effects, 500 mg/m³

Industrial, dermal, Long-term - systemic effects, 888 mg/kg bw/day

general population, inhalative, Long-term - systemic effects, 89 mg/m³

general population, dermal, Long-term - systemic effects, 319 mg/kg bw/day

general population, oral, Long-term - systemic effects, 26 mg/kg

PNEC

Substance

Propan-2-ol, CAS: 67-63-0

oral (food), 160 mg/kg

freshwater, 140,9 mg/l

seawater, 140,9 mg/l

sediment (freshwater), 552 mg/kg

sediment (seawater), 552 mg/kg

soil, 28 mg/kg

sewage treatment plants (STP), 2251 mg/l

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0,4 mm; Butyl rubber, >120 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information

Skin protection Protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Do not breathe vapour/spray.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.


Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards

Delimitation and monitoring of the environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.



BTTR 4 GLASS

n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 5 / 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Color transparent

Odor odourless

Odour threshold not applicable

pH-value 4 pH-value [1%] 7

Boiling point [°C] ca. 100 Flash point [°C] > 93

Flammability (solid, gas) [°C] not applicable
Lower explosion limit not applicable
Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/ml] 0,996 (20 °C / 68,0 °F)

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water]not determinedKinematic viscositynot applicableRelative vapour densitynot applicableEvaporation speednot applicable

Melting point [°C] ca. 0

Auto-ignition temperature not self-igniting

Decomposition temperature [°C] not determined

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions


Reactions with alkalies (lyes).

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not applicable



BTTR 4

n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 6 / 10

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product

ATE-mix, oral, > 5000 mg/kg

Substance

Propan-2-ol, CAS: 67-63-0

LD50, oral, Rat, 5840 mg/kg OECD 401

Acute dermal toxicity

Product

ATE-mix, dermal, > 5000 mg/kg

Substance

Propan-2-ol, CAS: 67-63-0

LD50, dermal, Rabbit, 13900 mg/kg OECD 402

Acute inhalational toxicity

Product

ATE-mix, inhalative, > 20 mg/l 4h

Substance

Propan-2-ol, CAS: 67-63-0

LC50, inhalative, Rat, > 25 mg/l (6h) OECD 403

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity

Aspiration hazard

General remarks

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.



BTTR 4 GLASS

n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04 Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Substance

Propan-2-ol, CAS: 67-63-0

LC50, (24h), Daphnia magna, 9714 mg/l

LC50, (96h), Pimephales promelas, 9640 mg/l

EC50, (72h), Scenedesmus subspicatus, > 100 mg/l

12.2 Persistence and degradability

Behaviour in environment

Behaviour in sewage plant

not determined

not determined

compartments

not determined

12.3 Bioaccumulative potential

Biological degradability

Accumulation in organisms is not expected.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecological data of complete product are not available.

070799

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102



n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 8 / 10

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID

not applicable

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Inland navigation (ADN)

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)


not applicable

Marine transport in accordance with

not applicable

IMDG

Air transport in accordance with IATA not applicable



BTTR 4 GLASS

n-tec GmbH 84051 Essenbach - Altheim

Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 9 / 10

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 1,5 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H336 May cause drowsiness or dizziness. H319 Causes serious eye irritation. H225 Highly flammable liquid and vapour.



n-tec GmbH 84051 Essenbach - Altheim



Date printed 06.04.2021, Revision 06.04.2021

Version 05. Supersedes version: 04

Page 10 / 10

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 2 been added: The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

SECTION 12 been added: Ecological data of complete product are not available.

SECTION 12 been added: Do not discharge product unmonitored into the environment or into the drainage.

Copyright: Chemiebüro®



