

# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 1 / 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

# BTTR4®Mirror antifog sp

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Coating agent

1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

Company n-tec GmbH Siemensstraße 13

84051 Essenbach - Altheim / GERMANY

Phone +49 - (0)87 03 - 98 97-64 Fax +49 - (0)87 03 - 98 97-65 Homepage www.n-tec.de E-mail info@n-tec.de

Address enquiries to

Technical information info@n-tec.de

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

**Advisory body**Call NHS 111 or a doctor **Company**+49 - (0)87 03 - 98 97-64

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Flam. Liq. 3: H226 Flammable liquid and vapour.

2.2 Label elements

Hazard pictograms

The product is required to be labelled in accordance with regulation (EC) No. 1272/2008

(CLP).

Signal word WARNING

Hazard statements H226 Flammable liquid and vapour.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapours.

P312 Call a POISON CENTER / doctor if you feel unwell.

P280 Wear protective gloves / eye protection.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards


**Human health dangers**Contains no ingredients with endocrine-disrupting properties.

Environmental hazards This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024 Version 1.0 Page 2 / 13

# SECTION 3: Composition / Information on ingredients

# 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 30	Ethanol
	CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, Reg-No.: 01-2119457610-43-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319
	SCL [%]: >= 50: Eye Irrit. 2: H319
1 - < 4	(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value)
	CAS: 34590-94-8, EINECS/ELINCS: 252-104-2, Reg-No.: 01-2119450011-60-XXXX

Comment on component parts

For full text of H-statements: see SECTION 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting. Get medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

Headache Dizziness Drowsiness

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

# SECTION 5: Fire-fighting measures

# 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Ingestion

Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)



# n-tec GmbH 84051 Essenbach - Altheim



Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 3 / 13

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.

Ensure adequate ventilation.

Use personal protective equipment.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

## 6.4 Reference to other sections

See SECTION 8+13

# SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid contact with eyes and skin. Use personal protective equipment.

Keep away from all sources of ignition - Refrain from smoking.

Ignitable mixtures can be formed in the empty container.

Take precautionary measures against static discharges.

Vapours can form an explosive mixture with air.

Ground/bond container and receiving equipment.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Take off contaminated clothing and wash before reuse.

Use barrier skin cream.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Provide solvent-resistant and impermeable floor.

Do not store with oxidizing or self-igniting materials.

Protect from heat/overheating.


Keep container in a well-ventilated place.

Keep container tightly closed.

Recommended storage temperature: 5°C - 25°C

## 7.3 Specific end use(s)

See product use, SECTION 1.2



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 4 / 13

# SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Ethanol

CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, Reg-No.: 01-2119457610-43-XXXX

Long-term exposure: 1000 ppm, 1920 mg/m<sup>3</sup>

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value)

CAS: 34590-94-8, EINECS/ELINCS: 252-104-2, Reg-No.: 01-2119450011-60-XXXX

Long-term exposure: 50 ppm, 308 mg/m³, Sk

### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value)

CAS: 34590-94-8, EINECS/ELINCS: 252-104-2, Reg-No.: 01-2119450011-60-XXXX

Eight hours: 50 ppm, 308 mg/m³, H

### DNFI

Substance

Ethanol, CAS: 64-17-5

Industrial, inhalative (vapor), Long-term - systemic effects, 380 mg/m<sup>3</sup>

Industrial, dermal, Long-term - systemic effects, 8238 mg/kg bw/day

general population, inhalative (vapor), Long-term - systemic effects, 114 mg/m³

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

Industrial, dermal, Long-term - systemic effects, 283 mg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 308 mg/m<sup>3</sup>

general population, inhalative, Long-term - systemic effects, 37,2 mg/m<sup>3</sup>

general population, oral, Long-term - systemic effects, 36 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 121 mg/kg bw/day

## **PNEC**

Substance

Ethanol, CAS: 64-17-5

freshwater, 0,96 mg/l

seawater, 0,79 mg/l

sediment (freshwater), 3,6 mg/kg sediment dw

soil, 0,63 mg/kg soil dw

sediment (seawater), 2,9 mg/kg sediment dw

sewage treatment plants (STP), 580 mg/L

oral (food), 0,38 g/kg

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

freshwater, 19 mg/l

seawater, 1,9 mg/l

sewage treatment plants (STP), 4168 mg/l

sediment (freshwater), 70,2 mg/kg

sediment (seawater), 7,02 mg/kg

soil, 2,74 mg/kg



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 5 / 13

### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

**Hand protection** > 0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

nformation.

Skin protection Long-sleeved work clothes.

Other Do not inhale vapours.

Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state liquid

Form liquid

Color clear

Odor alcoholic

Odour threshold not determined

pH-value 5,5

pH-value [1%] not determined

Boiling point or initial boiling point

and boiling range [°C]

> 35

Flash point [°C] > 23

Flammability not applicable
Lower explosion limit not determined
Upper explosion limit not determined

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

**Density [g/cm³]** 0,967

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity not determined Relative vapour density not determined Melting point [°C] not determined Auto-ignition temperature [°C] not determined Decomposition temperature [°C] not determined not applicable



# n-tec GmbH 84051 Essenbach - Altheim



Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 6 / 13

### 9.2 Other information

Version

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

See SECTION 10.3.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting. Uncleaned empty vessels may contain product gases which can form explosive mixtures with air.

## 10.4 Conditions to avoid


Strong heating.

# 10.5 Incompatible materials

Oxidizing agent

## 10.6 Hazardous decomposition products

Flammable gases/vapours.



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 7 / 13

# SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

LD50, oral, Rat, 10470 mg/kg (OECD 401)

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

LD50, oral, Rat, 5135 mg/kg

### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

LD50, dermal, Rabbit, > 2000 mg/kg (OECD 402)

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

LD50, dermal, Rabbit, 13000 - 14000 mg/kg

# Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

LC50, inhalative, Rat, 117-125 mg/l/4h (OECD 403)

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

LC50, inhalative, Rat, > 500 mg/l (7 h)

Serious eye damage/irritation

Non-irritant

Classification was carried out based on substance-specific concentration limits.

Substance

Ethanol, CAS: 64-17-5

Eye, irritant

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

dermal, non-irritating

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

dermal, non-irritating



# n-tec GmbH 84051 Essenbach - Altheim



Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 8 / 13

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

dermal, non-sensitizing

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Ethanol, CAS: 64-17-5

NOAEL, oral, mouse, 9400 mg/kg bw/day (subchronic), no adverse effect observed

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

NOAEL, dermal, Rabbit, 2850 mg/kg bw/day (subchronic), no adverse effect observed

NOAEL, oral, Rat, 1000 mg/kg bw/day (subacute), no adverse effect observed

NOAEC, inhalative, Rat, 1232 mg/m³ (subchronic), no adverse effect observed

Mutagenicity

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Substance

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Ethanol, CAS: 64-17-5

NOAEL, oral, mouse, 20700 mg/kg bw/day (subchronic), no adverse effect observed

- Development

Substance

Ethanol, CAS: 64-17-5

NOAEC, inhalative, Rat, 30400 mg/m³ (subchronic), no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8

NOAEC, inhalative, Rat, 18184,05 mg/m³ (chronic), no adverse effect observed

**Aspiration hazard** 

Based on the available information, the classification criteria are not fulfilled.

**General remarks** 

Toxicological data of complete product are not available.



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 9 / 13

### 11.2 Information on other hazards

11.2.1 Endocrine disrupting

Contains no ingredients with endocrine-disrupting properties.

properties

11.2.2 Other information none

# SECTION 12: Ecological information

### 12.1 Toxicity

Substance		
Ethanol, CAS: 64-17-5		
LC50, (48h), Daphnia magna, 12340 mg/l		
LC50, (96h), Oncorhynchus mykiss, 13000 mg/l (OECD 203)		
EC50, (48h), Selenastrum capricornutum, 12900 mg/l (OECD 201)		
EC50, (72h), Algae, 275 mg/l (OECD 201)		
(2-Methoxymethylethoxy)propanol (EU occupational exposure limit value), CAS: 34590-94-8		
LC50, (96h), Pimephales promelas, > 10000 mg/l		
EC50, (96h), Selenastrum capricornutum, > 969 mg/l		
EC50, (48h), Daphnia magna, 1919 mg/l		

# 12.2 Persistence and degradability

Behaviour in environment

compartments

No information available.

Behaviour in sewage plant

No information available.

Biological degradability

No information available.

Substance

Ethanol, CAS: 64-17-5

94%, The product is readily biodegradable.

# 12.3 Bioaccumulative potential

No information available.

Substance	
Ethanol, CAS: 64-17-5	
log Pow, -0,31	

# 12.4 Mobility in soil


Spillages may penetrate the soil causing ground water contamination.

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



# BTTR 4 H

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 10 / 13

### 12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste.

Waste no. (recommended)

070604\*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

Transport by land according to

ADR/RID

1170

Inland navigation (ADN)

Marine transport in accordance with IMDG

1170

1170

Air transport in accordance with IATA 1170



# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0 Page 11 / 13

# 14.2 UN proper shipping name

Transport by land according to ADR/RID

- Classification Code

F1

- Label



Ethanol solution

- ADR LQ

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (D/E)

Inland navigation (ADN)

Ethanol solution

- Classification Code

- Label



Marine transport in accordance with

**IMDG** 

Ethanol solution

- EMS

F-E, S-D

- Label

- IMDG LQ

Air transport in accordance with IATA Ethanol solution

- Label



## 14.3 Transport hazard class(es)

Transport by land according to ADR/RID

Inland navigation (ADN)

3

Marine transport in accordance with 3

**IMDG** 

Air transport in accordance with IATA 3

# 14.4 Packing group

Transport by land according to

ADR/RID

Ш


Inland navigation (ADN)

Ш

Marine transport in accordance with III

**IMDG** 

Air transport in accordance with IATA III



# BTTR 4 MIRROR

# n-tec GmbH 84051 Essenbach - Altheim

Date printed 13.11.2024, Revision 13.11.2024

Version 1.0 Page 12 / 13

### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 40, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 33 S

# 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

# SECTION 16: Other information

# 16.1 Hazard statements (SECTION 3)

H319 Causes serious eye irritation. H225 Highly flammable liquid and vapour.



# n-tec GmbH 84051 Essenbach - Altheim



Date printed 13.11.2024, Revision 13.11.2024

Version 1.0

Page 13 / 13

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

Classification procedure Flam. Liq. 3: H226 Flammable liquid and vapour. (Calculation method)

Modified position none

Copyright: Chemiebüro®